

Hematuria in Dogs


Gideon Daniel, DVM, DACVIM (SAIM)

Friendship Hospital for Animals

Washington, DC

Mary Anna Labato, DVM, DACVIM (SAIM)

Cummings School of Veterinary Medicine at Tufts University




*Macroscopic hematuria occurs when the quantity of blood in urine is visible to the naked eye (eg, pink, red, dark brown in color; may contain blood clots). Microscopic hematuria is characterized by small numbers of RBCs in urine and is only visible during microscopic examination of urine sediment.⁴

*The timing of hematuria is not always diagnostically accurate.

†Renal hematuria is often subclinical.

MSM = methylsulfonylmethane



References

1. Runge JJ, Berent AC, Mayhew PD, Weisse C. Transvesicular percutaneous cystolithotomy for the retrieval of cystic and urethral calculi in dogs and cats: 27 cases (2006-2008). *J Am Vet Med Assoc.* 2011;239(3):344-349.
2. Martinez I, Mattoon JS, Eaton KA, Chew DJ, DiBartola SP. Polypoid cystitis in 17 dogs (1978-2001). *J Vet Intern Med.* 2003;17(4):499-509.
3. Berent AC, Weisse CW, Branter E, et al. Endoscopic-guided sclerotherapy for renal-sparing treatment of idiopathic renal hematuria in dogs: 6 cases (2010-2012). *J Am Vet Med Assoc.* 2013;242(11):1556-1563.
4. Forrester SD. Diagnostic approach to hematuria in dogs and cats. *Vet Clin North Am Small Anim Pract.* 2004;34(4):849-866.

Suggested Reading

Laflamme DP, Hannah SS. Nutritional genomics. In: Ettinger SJ, Feldman EC, eds. *Textbook of Veterinary Internal Medicine*; vol 1. 7th ed. St. Louis, MO: Saunders Elsevier; 2010:163-166.